I st And Final Bill

Work code. 005-18.000079

Est Cost Rs. 28.00 Lacs

M. A. R. 57 (Rule 116)

Measurement Book

No. B 198326

No. ..... Construction of Gymnesium Building Near

of Work Govt School Grounds Jakkur From ..... To in Ward No. 05 Jakkur

of Contractor of nature of Agency ..Bataxayanapura Sub division.

f commencement of work .....

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	4	5	6	7	8
Name of Contractor.			Executive Engineer. KRIDL 280.59 M cross Road 17 M C Main Road. 3rd y Block Rajajinagara. Bangalore. 560010.			
Work order No.:			BBMP/EE/BTP/WO/131/2017.18.			
Earth work in surface excavation ordinary soil for levelling and lowering the ground Corner near boundary Building Cuttings Road Drains and Trenches Surface						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	and Cables) and removing the excavated Stuff to a distance not exceeding 50 mtr and lift upto 1.50 mtr excavated Surface Stuff to a distance not exceeding 50 mtr and lift upto 1.50 mtr excavated Surface burnt and neatly dressed disposed earth to be covered after Sprinkling & and neatly dressed as per Specn.						
						51.70 M³	
	Rate · 169:56						8766:28
(2)	Earth work excavation for foundation & Surface Sewers Water Supply Sanitary Lines and clearing						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498327

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Cutting either in pits or in trenches 1.50 mtr and above in width in ordinary soil not exceeding 1.50 mtr in depth including shoveling the bottom and sides of pits and trenches stacking the excavated soil clear from edges of excavation when lead up to 50 mtr also leveling & dressing complete as per specification.					113.94 M^3	
	Rate. 305:64						34825:65

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(3) Providing and fixing in foundation with granite rap basalt between masonry course and down size with approved sand including hand packing watering including cost of all materials and labour with cleared and dressed complete as per specification.					13.34 m³	
	Rate. 2283:12						30452:21
	(4) Providing and laying in position Plain Cement Concrete of Mix M7.5 with all requirements as per IS						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498328

erial No. .....
lame of Work ..... From..... To.....
lame of Contractor of nature of Agency .....
ate of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	WCH 40 mm and down size graded granite metal coarse aggregate of 0.85 cum and fine aggregate about commercial mixed Conc using cait in layers not exceeding 15 cms thick well compacted in foundation and plinth including cost & all necessaries lagon curing complete as per Specification.						
	Up to 125% Qty.					47.58 m^3	250097:60
	Rate. 5256:36						
	Rate. 5256:36	Above 125% Qty.				17.14 m^3	90094:00

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(3) Providing and Constructing Granite/Quartz Rubble Stone masonry in foundation with hard hammered dressed in courses not less than 20 cms high bond stones at 2.0 M apart in each course including cost of materials labour curing complete as per specification.						
	Up to 12.5 % Qty.					15.38 M³	6705/
	Rate. 4359:96						
	Above 12.5 % Qty.					0.32	1395/
	Rate. 4359:96						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498329

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	(6) Providing and Conserveing granite/trap/basalt stone masonry in basements with cement mortar 1:6 edges of stones chisselled dressed in courses not less than 15 cm height & bond stones as 2.0 m or above in each courses including cost & materials taken in curing complete as per specification Rate. 5405=40					8.20 m^3	IS 4318:87
	(7) Filling Available excavation earth (excluding rock) in sides & foundation upto plinth						in layers by

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Ramming after watering with load upto 80 mm and cost upto 1.00 mm including cost of all labour compleate as per Specification.					3 113.94 M	
	Page. 137:16						15628:17
(8)	Providing dubed pointing to coarsed stone masonry with cement mortar 1:3 20 mm after raking joints to depth of 20 mm nicely leaving including cost of materials labour curing complete as per specification.						(9)

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498330

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Rate · 105 : 84					19.18 M^2	2030 : 00
(9)	Providing and removing centering & shuttering shuttering propping etc. and removal & formwork For Foundation, footings bases & columns &c mass Concrete including cost of all materials Labour Complete as per Specification.						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						88.92	m^2
	Rate 2h9 : 48						22183 : 7
(10)	Providing and laying in position Plain Cement Con... & Mix 1:3:6 With OPC Cement as 220 kg With 20mm and down size Graded granite metal coarse aggre... of 0.84 Cum and fine aggregate as 0.56 Cum measu... mixed Concrete laid in layers not exceeding 15cm ... thickness Compacted in foundation Plinth ... including Curing & necessary labour complete ... Concrete as per Specification.						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498331

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Rate · 5704 : 56					1.50 M^3	8556 : 84
(11)	Providing and removing centering Shuttering Strutting propping etc.. for edges & Slabs and breaks in floor including cost & all materials labour complete as per Specification. Rate · 732 : 24					100.99 M^2	73947 : 09

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(12)	Providing and removing centering shuttering propping etc. for columns pillars post and struts square / rectangular polygon in plan including cost of all material labour complete as per specification. Rate. 395:28					9.57 M²	3782:B
(13)	Providing and removing centering shuttering propping etc. and removal of formwork for sides and soffits of beams beam haunches cantilever portions and cornices						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498332

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Excavating 1.0 mor in depth including cost of all Labour Materials complete as per Specification.					69.55 M^2	
	Rate. 276:48						19229:48
(14)	Providing and removing Covering Guttering and Shuttering and Propping etc.. for chajjas Cornices etc. including edges including Cost of all materials Labour Complete						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Refer to la Measur
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	as per Specification ese-- concrete.						
	Rate: 291:60					11.23 m2	3273:6
	(15) Providing and laying in position designed cement concrete of nominal Mix 1:1.5:3 with 20 mm and down size graded granite metal m mixed concrete laid in layers not exceedin 15 cms thick vibrated for RCC beams Colum for all sizes in foundation plinth and superstr						

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498333

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Ground floor level for Columns including including Cost & all materials Labour Hire & Machinery curing complete as per Specification.						
	6650:64					90.66 m^2	602927:07
	Rate ~~100:48~~						
16	Providing TMT Steel reinforcements for RCC work including straightening cutting bending hooking Placing in Position tapping and or welding whenever required						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	trying WOH bending Wire and anchoring to the adjoining enemerges whenever necessary complete as per design (Labour and Wastage Shewing not to be measured and paid) Carr. of materials by all Hon of machinery complete as per Specification.					6.96 TON	
	Rate. 60534:00						42136:61
(17)	Providing and Constructing Precast Concrete Solid blocks WOH Compressive Strength not less than 3.5 Newton per Sq.mm WOH cement mortar (1:4) masonry (Cantion Jamb & Closer blocks) WOH						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498331

Serial No. .....

Name of Work ..... From ..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Solid Concrete blocks of Size 400 x 200 x 200 mm Conforming to IS 2185/1965 in Super Structure Lagoon Chamber & Scaffolding during complete as per Specification.					173.99 m²	176073:40
	Rate. 1011:96						
(18)	Providing and Constructing non load bearing Wall WOH cement Concrete Solid Blocks WOH Compressive						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Strength not less than 3.5 Newton per Sqmm with CM 1:4 (Sand Cleser Block) with Block of size 190 x 190 x 390 mms Conforming to IS 2185/1965 in Superstructure including Cost of materials labour charges & scaffolding Curing complete as per Specification Rate · 773:28					17.19 m^2	13292:1
(19)	Providing 18mm thick Cement Plaster in single coat with cement Mortar 1:6 to Brick Masonry including rounding off corners wherever required Smooth						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498335

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Rendering providing and removing including cost of materials labour in curing Complete as per Specification Rate · 588:60					152.39 m^2	89696:77
(20)	Providing 20 mm thick Cement Plaster in single coat with cement Mortar 1:6 to Stone Masonry at Concrete Surface including rounding off corners wherever required Smooth rendering providing and removing Scaffolding						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	including carr & materials Labour charges complete as per specification.					203.17 M^2	45640 : 16
	Rate · 224 : 64						
(21)	Providing 12mm thick cement plaster in single coat with cement Mortar 1:3 to ceiling including rounding off corners wherever required & smooth rendering providing and removing scaffolding complete with carr & materials Labour charges complete as per specifications.						

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498336

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Rate · 208 : 44					72.25 M^2	15059 : 79
(22)	Providing lime rendering for plastering to wall and ceiling including carr & materials Labour charges complete as per specification. 18 : 36					275.41 M^2	5056 : 82
	Rate · ~~314 : 32~~						

Scanned by CamScanner

MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498337

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(23)	Providing 20 mm thick Cement plaster in single coat with Cement Mortar 1:3 to stone, masonry and concrete surface including Rounding of corners wherever required smooth finishing and removing scaffolding including cost & materials Labour Curing complete as per specification Rate · 279:72					62.01 m^2	17345:1
(24)	Flooring with 25 mm thick polished Kamba blue stone slabs having corners mortar 1:6 25 mm thick over existing cement concrete bed or Pa						

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	& roof laid to line and level and finished Cement mixed with Pigment to water the shade & the slab including cost & materials Labour as per specification Rate · 1210:68					69.12 m^2	With cement shade & the slab Curing Polished Kamba 83682:20
(25)	Providing Ceramic tiles of approved make shade and size for flooring treads & risers and Landings laid on a bed of 12 mm thick Cement Mortar 1:3						

Scanned by CamScanner

MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498338

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Flush pointing with white cement using colour pigments including cost of materials & all incidentals complete as per specification for ceramic tiles of size 30 x 30 cms 6 mm thick etc. complete.					7.38 m^2	
	Rate - 12.70 : 08						9366:84
86	Providing & fixing dado & skirting & steps with white glazed tiles 6 mm thick on 10 mm cement plaster 1:3 and jointed with white cement slurry over rough plaster surface (excluding cost & conveyance)						
	(Plastered) surface which should be measured and paid separately) using glazed tiles of approved make and size including cost & materials cost complete as per Specification					35.81 m^2	
	Rate - 1157 : 76						41453:60
87	Providing fabricating assembling and fixing in position Aluminium doors using Aluminium wall finish or glazing finish Queen frame plain [illegible]						

Scanned by CamScanner

MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498339

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	including cost & necessarials fixtures Cabinets & Nom & necessary complete as per Specification.						
	Rate · 6718.68					6.96 m^2	467691
(28)	Providing Main/Nandi Wood frames & door Windows necessary Windows ventilators and other frames Work framed & assembled including making Plugging (excluding cost & carriage Conveyance and fixing)						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	bug including cost of measuring labour measurements complete as per Specification.						Nom
					Up to 12.5 % dry.	0.06	M3
	Rate · 87255:36						5235:32
					Above 12.5% dry.	0.01	M3
	Rate · 87255:36						458:04
(29)	Fixing of door frame in an existing opening including embedding frame in floor and wall other civil work necessary for neat and						

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498310

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	holdfast in cement concrete 1:3:6 & 20 mm and down size granite metal packing two coats of coal tar						
	both sides of frame making good the damages to walls and floor as required and disposal of						
	non lead up to door including cost of measuring						
	labour charges complete as per specification.					1.00 Nos	
	Rate · 1138:32						1138:32

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
30	Board panel pvc door shutter providing and fixing 30 mm thick fire grade wooden frame for board panel door shutters made from M.S. tubes 19 x 19 mm size, 2.0 mm thick including cutting and welding as required, fixing with 12 mm dia holes for fixing screws, 50 x 6 mm MS flat for top and bottom rail, 50 x 6 mm MS flat for middle rail, 50 x 6 mm MS flat for locking rail, 50 x 6 mm MS flat for intermediate rail, 50 x 6 mm MS flat for door stopper, 50 x 6 mm MS flat for hinges, 50 x 6 mm MS flat for tee hinges, 50 x 6 mm MS flat for butt hinges, 50 x 6 mm MS flat for tower bolt, 50 x 6 mm MS flat for aldrop, 50 x 6 mm MS flat for handle

MEASUREMENT BOOK

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Rails Covered with head moulded pvc channel & 5 mm thick sheet & 30 x 80 mm wide to form and 5 mm thick sheet and 30 x 80 mm wide to form Styles and 5 mm thick and 75 mm wide pvc sheet for PDP rails (Back rail and bottom rail Aluminium sides and 5 mm thick pvc sheet fixed in metal frame scaled to the styles and rails with 5 x 30 mm pvc sheet beading on either side and jointed Complete as per specification.					1.87 m²	
	Page · 3448 : 4/4						SH 43122

M. A. R. 57 (Rule 116)
Measurement Book

No. B

49834

Serial No. .....
Name of Work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc. of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(32)	Providing and fixing in position Aluminium Windows and ventilators as per approved Gradient SS Non Sliding shutters using double track Window frame section & size 61.88 x 31.75 mm with 1.2 mm thick SS Non section 1.3 mm thick Weight 0.695 kg/mm sides and SS Weight 0.659 kg/mm and shutter Compressing PDP and SS Non section & size 40 mm x 18 mm 1.25 mm thick 0.417 kg/mm Shutters outer side 40 mm x 18 mm 1.25 mm thick Weather						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	0.417 kg/mtr Gunsen interlocke section 40mm x 18mm 1.25 mm thick weighs 0.417 kg/mt Gunsen interlock 40mm x 26.7mm 1.1mm thick weighs 0.469 kg/mt Gunsen mounted on nylon bracing with approved quality & fixings Including Aluminium handles fixing bolts etc. and providing and fixing 5 mm plain glass including cutting to required Complete and fixed in the walls including Cost of materials Complete.					18.71 m²	77159:
	Rate · 4123 : 44						

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498343

Serial No. .....
Name of Work ..... From ..... To .....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
33	providing and fixing MS Grill Work to Bar windows and Ventilators Including 2 kg/sq mtr using MS flats or MS Square rods or Combination of MS flats and Square rods as per approved design. Drawing including cutting steel section and welding the same to required pattern with a coat of red steel section and welding the same to required pattern with a coat of red lead Primer Complete as per Specification.					18.71 x 21 kg/m² = 392.96 kg	33103:16
	Rate · 84 : 24						

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(34)	Providing and fixing Pull and Push type Rolling Shutters of approved make of 18 gauge 75 mm wide cold rolled steel laths & convex corrugated with side guides and bottom rails with interlocking arrangements for steel laths by means of alternate links suspension shaft with high tensile coil type springs and Nameplate mounted on specially designed pipe shaft with bronze plate gunmetal ball bearings arrangements for end brackets locking with bolt and nut operation complete as per specification. Rate. 3090:96					6.30 m²	19473:1

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498341

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(35)	Providing and finishing external walls in two coats with waterproof cement paint of approved brand and shade to give an even shade as per manufacturing specification to remove all dirt and loose powdered material from mortar joints and other surface complete as per specification and complete as per Rate. 90:72					152.39 m²	13824:59

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(36)	Providing and applying painting in one coat with plastic emulsion paints.					275.41 m^2	
	Rate · 97:20						26770:10
(37)	Providing and applying painting two coats exceeding priming coats.					3.15 m^2	
	Rate · 90:72						285:77

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498345

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(38)	Providing and Stone masonry in foundation with CM 1:8 (cement mortar) hard stones of 2.0 m³ and above in each course including cost of materials labour curing complete as per specification.	Consisting		Providing/			
	Rate · 3317:76		Up to 125%			13.78 m^3	45718:73
	Rate · 3317:76		Above 125%			4.04 m^3	3114:35

Scanned by CamScanner

MEASUREMENT BOOK

M. A. R. 57 (Rule 116)
Measurement Book

No. B

498346

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
(39)	Providing Granite Slab & Selected Quarry Stone dressed & fixed in CM 1:6 including grouting curing etc. complete.					4.32 M	
	Rate. 841:32						3634:3
(40)	Providing & fixing on Wall Surface 2.5 cm Saven HDPE Rain down Water Piping Common dia approved make and brand with necessary Specials like Shoes bends & Tees fixed with iron clamps & Wall Plugs Screws of					including cost & measuring labour curing complete as per Specification.	
						30.00 MTR	12895:20
	Rate = 429:84					Total Rs.	2497463:00
						Add 11% PRIC Charges Rs.	274721:00
						Total Rs.	2772184:00

Scanned by CamScanner

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Certificate.	① Certificate shall be work done satisfactory.					
		② This bill amount has not been claimed in any of previous bill					

23/01/20

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಪಟ್ಟಣಾಯಣಪುರ ಉಪ ವಿಭಾಗ
ಪಿ.ಡಿ ಎಂ.ಸಿ, ಬೆಂಗಳೂರು-24

23/01/2020

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಪಟ್ಟಣಾಯಣಪುರ ಉಪ ವಿಭಾಗ
ಪಿ.ಡಿ ಎಂ.ಸಿ, ಬೆಂಗಳೂರು-24

ಪಿ.ಡಿ.ಎಂ.ಸಿ

Scanned by CamScanner

M. A. R. 57 (Rule 116)
Measurement Book

No. B 498347

o. .....

f Work ..... From..... To.....

f Contractor of nature of Agency .....

commencement of work ..... GYMNASIUM Building.... Jayaku.

Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
	Number	Length	Breadth	Depth		
2	3	W4	5	W6	W7	8
V						
V2						
1.6 x 1.5	1					
1.30 x 1.5	1					
D1	1					
D1	1					
3.20 x 2.50	1					
	1					
	1					